



**INSTYTUT TECHNIKI BUDOWLANEJ
CERTIFICATION DEPARTMENT**

ul. FILTROWA 1, 00-611 WARSZAWA
tel.: +48 (22) 57 96 167, +48 (22) 57 96 168
e-mail: certyfikacja@itb.pl, www.itb.pl



AC 020

**NATIONAL CERTIFICATE
OF CONSTANCY OF PERFORMANCE**

No 020-UWB-3132/W

In compliance with the Ordinance of the Minister of Infrastructure and Construction of 17 November 2016 *on the Way of Declaring Performance of Construction Products and Way of Labelling Them with The Construction Mark* (Journal of Laws 2016, item 1966, as amended) this certificate applies to the construction product:

**Internal fire resisting and smoke control doors
DT-PW-60 of the PORTA system**

general identification, intended use and performance of the product are described
in the Annex No. Z-020-UWB-3132/W
which is an integral part of this certificate

covered by the Product Polish Standard:

PN-EN 16034:2014-11

placed on the market under the name or trade mark of:

**PORTA KMI POLAND S.A.
ul. Szkolna 54
84-239 Bolszewo
Poland**

and produced in the manufacturing plants:

**PORTA KMI POLAND S.A.
w Bolszewie
Oddział w Ełku (PKM)
ul. Strefowa 6/8
19-300 Ełk, Poland**

**PORTA KMI POLAND S.A.
w Bolszewie
Oddział w Suwałkach
ul. Wojska Polskiego 114B
16-400 Suwałki, Poland**

**PORTA KMI POLAND S.A.
ul. Szkolna 54
84-239 Bolszewo
Poland**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance which refer to the declared performances of the product related to its intended use defined in this certificate, under national system 1 are applied and that

the producer has implemented the factory production control system to ensure maintaining the constancy of these performances.

Certificate No 020-UWB-3132/W was first issued on 13.02.2026. This certificate will remain valid as long as neither the Polish Standard applied, the AVCP methods, the construction product nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the accredited product certification body.

DEPUTY HEAD
of the Certification Department

Magdalena Wójtowicz, M.Sc. Eng.



Warsaw, 13.02.2026

DEPUTY DIRECTOR
of Instytut Techniki Budowlanej

Anna Panek, M.Sc. Eng.

Annex No. Z-020-UWB-3132/W, page 1/2
which is an integral part of the certificate No. 020-UWB-3132/W

**Internal fire resisting and smoke control doors
DT-PW-60 of the PORTA system**

Essential characteristics of the product ¹⁾	PN-EN 16034:2014-11	Performance
Resistance to fire	4.1	El ₂ 60
Smoke control	4.2	S _{a4} , S ₂₀₀
Self-closing ²⁾	4.4	C

Declared intended use of the product:

Internal, hinged, wooden, single-leaf, solid doors of the PORTA system:

- ✓ with the declared fire resistance class El₂ 60 and smoke-control class S_{a4}, S₂₀₀
or
- ✓ with the declared fire resistance class El₂ 60, smoke-control class S_{a4}, S₂₀₀ and the self-closing function class C

are intended for use in areas in the reach of persons, in residential, public and industrial buildings, in fire- and smoke compartmentation.

Note:

- ¹⁾ The standard PN-EN 16034:2014-11 shall be applied together with the standard PN-EN 14351-2:2018-12. Regardless of the essential characteristics listed in this certificate, the manufacturer shall declare the performance of the essential characteristics covered by the standard PN-EN 14351-2:2018-12 that are not covered by the scope of the tasks of the accredited certification body and this certificate.
- ²⁾ Application in accordance with point 4.2 of classification report No. RS-25/T-390, edition 1 of 31.12.2025

DEPUTY HEAD
of the Certification Department



Magdalena Wójtowicz, M.Sc. Eng.



Warsaw, 13.02.2026

DEPUTY DIRECTOR
of Instytut Techniki Budowlanej



Anna Panek, M.Sc. Eng.



**INSTYTUT TECHNIKI BUDOWLANEJ
CERTIFICATION DEPARTMENT**

ul. FILTROWA 1, 00-611 WARSZAWA
tel.: +48 (22) 57 96 167, +48 (22) 57 96 168
e-mail: certyfikacja@itb.pl, www.itb.pl

CERTIFICATION MARK

The company:

PORTA KMI POLAND S.A.
ul. Szkolna 54
84-239 Bolszewo
Poland

being the manufacturer of the products:

**Internal fire resisting and smoke control doors
DT-PW-60 of the PORTA system**

is authorized to use
the ITB certification mark „WYRÓB BUDOWLANY”
during the period of validity of the certificate no. 020-UWB-3132/W



020-UWB-3132/W

DEPUTY HEAD
of the Certification Department

Magdalena Wójtowicz, M.Sc. Eng.



DEPUTY DIRECTOR
of Instytut Techniki Budowlanej

Anna Panek, M.Sc. Eng.

Warsaw, 13.02.2026