



**INSTYTUT TECHNIKI BUDOWLANEJ  
CERTIFICATION DEPARTMENT**

ul. FILTROWA 1, 00-611 WARSZAWA  
tel.: +48 (22) 57 96 167, +48 (22) 57 96 168  
e-mail: certyfikacja@itb.pl, www.itb.pl



AC 020

**NATIONAL CERTIFICATE  
OF CONSTANCY OF PERFORMANCE  
No 020-UWB-2950/W**

In compliance with the Ordinance of the Minister of Infrastructure and Construction of 17 November 2016 *on the Way of Declaring Performance of Construction Products and Way of Labelling Them with The Construction Mark* (Journal of Laws 2016, item 1966, as amended) this certificate applies to the construction product:

**Internal fire resisting and/or smoke control doors  
DT-PW2-RC4 of the PORTA system**

general identification, intended use and performance of the product are described  
in the Annex No. Z-020-UWB-2950/W  
which is an integral part of this certificate

**covered by the Product Polish Standard:**

**PN-EN 16034:2014-11**

**placed on the market under the name or trade mark of:**

**PORTA KMI POLAND S.A.  
ul. Szkolna 54  
84-239 Bolszewo, Poland**

**and produced in the manufacturing plants:**

**PORTA KMI POLAND S.A  
w Bolszewie  
Oddział w Ełku (PKM)  
ul. Strefowa 6/8  
19-300 Ełk, Poland**

**PORTA KMI POLAND S.A.  
w Bolszewie  
Oddział w Suwałkach  
ul. Wojska Polskiego 114B  
16-400 Suwałki, Poland**

**PORTA KMI POLAND S.A.  
ul. Szkolna 54  
84-239 Bolszewo  
Poland**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance which refer to the declared performances of the product related to its intended use defined in this certificate, under national system 1 are applied and that

**the producer has implemented the factory production control system to ensure maintaining the constancy of these performances.**

Certificate No 020-UWB-2950/W was first issued on 09.05.2022. This certificate (updated on 17.08.2022, 20.06.2024) will remain valid as long as neither the Polish Standard applied, the AVCP methods, the construction product nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the accredited product certification body.

DEPUTY HEAD  
of the Certification Department

Piotr Maciejak, M.Sc. Eng.



Warsaw, 20.06.2024

DEPUTY DIRECTOR  
of Instytut Techniki Budowlanej

Anna Panek, M.Sc. Eng.

**Annex No. Z-020-UWB-2950/W, page 1/2**  
which is an integral part of the certificate No. 020-UWB-2950/W

**Internal fire resisting and/or smoke control doors**  
**DT-PW2-RC4 of the PORTA system**

| Essential characteristics of the product <sup>1)</sup> | PN-EN 16034:2014-11 | Performance                        |
|--|---------------------|------------------------------------|
| Resistance to fire                                     | 4.1                 | EI <sub>2</sub> 30                 |
| Smoke control  | 4.2                 | S <sub>a4</sub> , S <sub>200</sub> |
| Self-closing   | 4.4                 | C                                  |

**Declared intended use of the product:**

Internal, hinged, wooden, single-leaf, seamless, solid doors of the PORTA system:

- ✓ with the declared fire resistance class and smoke-control class EI<sub>2</sub> 30 / S<sub>a4</sub>, S<sub>200</sub> and the self-closing function class C, or
- ✓ with the declared fire resistance class EI<sub>2</sub> 30 and the self-closing function class C, or
- ✓ with the declared smoke-control class S<sub>a4</sub>, S<sub>200</sub> and the self-closing function class C

are intended for use in areas in the reach of persons, in residential, public and industrial buildings, in fire- and smoke compartmentation.

<sup>1)</sup> **Note:** The standard PN-EN 16034:2014-11 shall be applied together with the standard PN-EN 14351-2:2018-12. Regardless of the essential characteristics listed in this certificate, the manufacturer shall declare the performance of the essential characteristics covered by the standard PN-EN 14351-2:2018-12 that are not covered by the scope of the tasks of the accredited certification body and this certificate.

DEPUTY HEAD  
of the Certification Department



Piotr Maciejak, M.Sc. Eng.



Warsaw, 20.06.2024

DEPUTY DIRECTOR  
of Instytut Techniki Budowlanej



Anna Panek, M.Sc. Eng.



**INSTYTUT TECHNIKI BUDOWLANEJ  
CERTIFICATION DEPARTMENT**

ul. FILTROWA 1, 00-611 WARSZAWA  
tel.: +48 (22) 57 96 167, +48 (22) 57 96 168  
e-mail: certyfikacja@itb.pl, www.itb.pl

## CERTIFICATION MARK

The company:

**PORTA KMI POLAND S.A.**  
ul. Szkolna 54  
84-239 Bolszewo  
Poland

being the manufacturer of the product:

**Internal fire resisting and/or smoke control doors  
DT-PW2-RC4 of the PORTA system**

is authorized to use  
the ITB certification mark „WYRÓB BUDOWLANY”  
during the period of validity of the certificate no. 020-UWB-2950/W



**020-UWB-2950/W**

DEPUTY HEAD  
of the Certification Department

  
Piotr Maciejak, M.Sc. Eng.



DEPUTY DIRECTOR  
of Instytut Techniki Budowlanej

  
Anna Panek, M.Sc. Eng.

Warsaw, 20.06.2024